

Table of Contents

VOLUME 84, 1992 (Evoked Potentials)

MAIN ARTICLES

Human VEP contrast modulation sensitivity: separation of magno- and parvocellular components J.I. Nelson and W.H. Seiple (U.S.A.)	1
The influence of pattern size on amplitude, latency and wave form of retinal and cortical potentials elicited by checkerboard pattern reversal and stimulus onset-offset B. Török, M. Meyer and H. Wildberger (Switzerland)	13
Sequence-dependent deterioration in the visual evoked potential in the absence of drowsiness N.F. Skuse and D. Burke (Australia)	20
Somatosensory evoked potentials in the term newborn N.A. Gibson, V. Brezinova and M.I. Levene (U.K.)	26
The late somatosensory evoked potential in premature and term infants. I. Principal component topography W. Karniski (U.S.A.)	32
The late somatosensory evoked potential in premature and term infants. II. Topography and latency development W. Karniski, L. Wyble, L. Lease and R.C. Blair (U.S.A.)	44
Dermatome somatosensory evoked potentials: cervical, thoracic, and lumbosacral levels J.C. Slomp, D.E. Rubner, M.L. Snowden and W.C. Stolov (U.S.A.)	55
Unmasking of cortical SEP components by changes in stimulus rate: a topographic study L. García Larrea, H. Bastuji and F. Mauguière (France)	71
Differences in human evoked potentials related to olfactory or trigeminal chemosensory activation T. Hummel and G. Kobal (F.R.G.)	84
Human auditory evoked potentials recorded using maximum length sequences T.W. Picton, S.C. Champagne and A.J.C. Kellett (Canada)	90
Steady-state visual evoked responses in high and low alpha subjects R.A. Pigeau and A.M. Frame (Canada)	101
Physiological functions of the ascending spinal tracts in HTLV-I-associated myelopathy (HAM) R. Kakigi, Y. Kuroda, H. Takashima, C. Endo, R. Neshige and H. Shibasaki (Japan)	110
Human hand and lip sensorimotor cortex as studied on electrocorticography C. Baumgartner, D.S. Barth, M.F. Levesque and W.W. Sutherling (U.S.A., Austria)	115
Quantified EEG and cortical evoked responses in patients with chronic traumatic frontal lesions A. Wirsén, G. Stenberg, I. Rosén and D.H. Ingvar (Sweden)	127
Effects of temporal-parietal lesions on the somatosensory P3 to lower limb stimulation S. Yamaguchi and R.T. Knight (U.S.A., Japan)	139
AEPs at the onset and offset of repetitive sound modulation, due to mismatch with the contents of an auditory sensory store S.J. Jones (U.K.)	149
Effects of noise bandwidth on the late-potential masking level difference C.G. Fowler and C.M. Mikami (U.S.A.)	157
Midlatency auditory evoked responses: P1 abnormalities in adult autistic subjects J.S. Buchwald, R. Erwin, D. Van Lancker, D. Guthrie, J. Schwafel and P. Tanguay (U.S.A.)	164
Visual evoked potentials during spontaneously occurring spike-wave discharges in rats M. Inoue, E.L.J.M. Van Luijcklaar, J.M.H. Vossen and A.M.L. Coenen (The Netherlands)	172
A comparative analysis of enflurane anesthesia on primate motor and somatosensory evoked potentials J.L. Stone, R.F. Ghaly, W.J. Levy, R. Kartha, L. Krinsky and P. Roccaforte (U.S.A.)	180
A short latency cortical component of the foveal VEP is revealed by hemifield stimulation I. Bodis-Wollner, J.R. Brannan, J. Nicoll, S. Frkovic and L.H. Mylin (U.S.A.)	201
A VEP study of the visual pathway function in compressive lesions of the optic chiasm. Full-field versus half-field stimulation J. Breclj (Slovenia)	209
Subcortical contributions to the surface-recorded flash-VEP in the awake macaque C.E. Schroeder, C.E. Tenke and S.J. Givre (U.S.A.)	219
Amplitude abnormalities in the scalp far-field N18 of SSEPs to median nerve stimulation in patients with midbrain-pontine lesion E. Urasaki, S. Wada, C. Kadoya, T. Tokimura, A. Yokota, S. Yamamoto, A. Fukumura and S. Hamada (Japan)	232
The N30 component of somatosensory evoked potentials in patients with dystonia J.A. Reilly, M. Hallett, L.G. Cohen, I.M. Tarkka and N. Dang (U.S.A.)	243
Current source density mapping of somatosensory evoked responses following median and tibial nerve stimulation T. Nagamine, R. Kaji, S. Suwazono, T. Hamano, H. Shibasaki and J. Kimura (Japan)	248

Steady-state vibration evoked potentials: description of technique and characterization of responses A.Z. Snyder (U.S.A.)	257
Potentials evoked in human and monkey medial temporal lobe during auditory and visual oddball paradigms K.A. Paller, G. McCarthy, E. Roessler, T. Allison and C.C. Wood (U.S.A.)	269
The effect of different high-pass filter settings on peak latencies in the event-related potentials of schizophrenics, patients with Parkinson's disease and controls K.P. Ebmeier, M. Glabus, D.D. Potter and E.A. Salzen (U.K.)	280
The relationship between human long-latency somatosensory evoked potentials recorded from the cortical surface and from the scalp T. Allison, G. McCarthy and C.C. Wood (U.S.A.)	301
Intraoperative spinal cord monitoring during surgery for aortic aneurysm: application of spinal cord evoked potential Y. Okamoto, M. Murakami, T. Nakagawa, A. Murata and H. Moriya (Japan)	315
Pyramidal tract function during onset of brain death R. Firsching, S. Wilhelms and G. Csésci (F.R.G.)	321
Serial visual evoked potential recordings in geriatric psychiatry E.P. Sloan and G.W. Fenton (U.K.)	325
Event-related EEG potentials in mild dementia of the Alzheimer type R. Verleger, D. Kömpf and W. Neukäter (F.R.G.)	332
Wave form variations in auditory event-related potentials evoked by a memory-scanning task and their relationship with tests of intellectual function L. Pelosi, M. Holly, T. Slade, M. Hayward, G. Barrett and L.D. Blumhardt (U.K., Italy)	344
Area-specific self-regulation of slow cortical potentials on the sagittal midline and its effects on behavior N. Birbaumer, L.E. Roberts, W. Lutzenberger, B. Rockstroh and T. Elbert (F.R.G., Italy, Canada)	353
Binaural stimulation reveals functional differences between midline and temporal components of the middle latency response in guinea pigs T. Littman, N. Kraus, T. McGee and T. Nicol (U.S.A.)	362
Event-related neuronal responses in the human strio-pallido-thalamic system. I. Sensory and motor functions J.D. Kropotov, S.C. Etlinger, V.A. Ponomarev and A.V. Sevastyanov (Russia, Austria)	373
Event-related neuronal responses in the human strio-pallido-thalamic system. II. Cognitive functions J.D. Kropotov, S.C. Etlinger, V.A. Ponomarev, M.A. Kuznetsov and L.G. Trofimova (Russia, Austria)	386
Dipole modelling of median nerve SEPs in normal subjects and patients with small subcortical infarcts H. Franssen, D.F. Stegeman, J. Moleman and R.P. Schoobaar (The Netherlands)	401
Origin of the widespread N18 in median nerve SEP M. Sonoo, K. Genba, W. Zai, M. Iwata, T. Mannen and I. Kanazawa (Japan)	418
Role of SEP in identifying patients requiring temporary shunt during carotid endarterectomy E. Fava, E. Bortolani, A. Ducati and M. Schieppati (Italy)	426
Central sensory and motor conduction in vitamin B12 deficiency V. Di Lazzaro, D. Restuccia, D. Fogli, R. Nardone, S. Mazza and P. Tonali (Italy)	433
A quantitative method for the assessment of overall effects from a number of similar electrophysiological studies: description and application to event-related potentials in Parkinson's disease K.P. Ebmeier (U.K.)	440
Temporal correspondence of intracranial, cochlear and scalp-recorded human auditory nerve action potentials H. Pratt, W.H. Martin, J.W. Schwegler, R.H. Rosenwasser, S.I. Rosenberg and E.S. Flamm (U.S.A.)	447
Auditory selective attention in middle-aged and elderly subjects: an event-related brain potential study D.L. Woods (U.S.A.)	456
"Cross-talk" in recording evoked potentials T. Nagaoka, D.D. Walker, P.J. Seaba and T. Yamada (U.S.A.)	473
Evaluation of reference sites for scalp potentials evoked by painful and non-painful sural nerve stimulation R. Dowman and L. Goshko (U.S.A.)	477
P15 in tibial nerve SEPs as an example of the junctional potential M. Sonoo, K. Genba, T. Iwatsubo and T. Mannen (Japan)	486
The influence of interfering input from the peroneal nerve on tibial-nerve somatosensory evoked potential T. Yamada, T. Saito, Y. Matsue, Y. Honda, T. Fuchigami, M. Fujii and M. Ross (U.S.A.)	492
Assessing brain function in post-traumatic coma by means of bit-mapped SEPs, BAEPs, CT, SPET and clinical scores. Prognostic implications S. Cusumano, A. Paolin, F. Di Paola, F. Boccaletto, G. Simini, F. Palermo and A. Carteri (Italy)	499
Event-related potential (ERP) correlates of performance of intelligence tests L. Pelosi, M. Holly, T. Slade, M. Hayward, G. Barrett and L.D. Blumhardt (U.K., Italy)	515
Modulation of event-related potentials (ERPs) by word repetition in a task with inconsistent mapping between repetition and response M.D. Rugg, P. Brovedani and M.C. Doyle (U.K., Italy)	521
Reversed temporal region asymmetries of P300 topography in left- and right-handed schizophrenic subjects D.P. Holinger, S.F. Faux, M.E. Shenton, N.S. Sokol, L.J. Seidman, A.I. Green and R.W. McCarley (U.S.A.)	532
Evoked magnetic responses of the human auditory cortex to minor pitch changes: localization of the mismatch field V. Csépe, C. Pantev, M. Hoke, S. Hampson and B. Ross (Germany)	538

SHORT COMMUNICATIONS

Stimulus rate-induced VEP attenuation in preterm infants O. Pryds (Denmark)	188
Chemosensory event-related potentials in man: relation to olfactory and painful sensations elicited by nicotine T. Hummel, A. Livermore, C. Hummel and G. Kobal (F.R.G.)	192
Cellular generators of the cortical auditory evoked potential initial component M. Steinschneider, C.E. Tenke, C.E. Schroeder, D.C. Javitt, G.V. Simpson, J.C. Arezzo and H.G. Vaughan, Jr. (U.S.A.)	196
Mental movement simulation affects the N ₃₀ frontal component of the somatosensory evoked potential G. Cheron and S. Borenstein (Belgium)	288
Brain-stem auditory evoked potentials in adults with Down's syndrome R. Kakigi and Y. Kuroda (Japan)	293
Middle latency auditory evoked potentials improve the detection of abnormalities along auditory pathways in multiple sclerosis patients M. Versino, R. Bergamaschi, A. Romani, P. Banfi, R. Callieco, A. Citterio, E. Gerosa and V. Cosi (Italy)	296
Neural plasticity in processing of sound location by the early blind: an event-related potential study T. Kujala, K. Alho, P. Paavilainen, H. Summala and R. Näätänen (Finland)	469
Diagnostic role of brain-stem auditory evoked potentials in neurobrucellosis B.A. Yaqub, M.M.U. Kabiraj, A. Shamena, M. Al-Bunyan, A. Daif and A. Tahan (Saudi Arabia)	549

TECHNICAL NOTE

Improving the reliability of pattern electroretinogram recording J. Froehlich and D.I. Kaufman (U.S.A.)	394
<i>Erratum</i>	300
<i>Announcement from the Publisher</i>	iii, 400
<i>Index of Authors to Volume 84, 1992</i>	553
<i>Index of Subjects to Volume 84, 1992</i>	557
<i>Table of Contents to Volume 84, 1992</i>	562